




Nozzle Identifier	Approx. Orifice Diameter	Capacity in Gallons per Hour (at various pressures in pounds per square inch)								Spray Angles
		40 psi	60 psi	80 psi	100 psi	125 psi	150 psi	250 psi	500 psi	
0.50	0.010	0.50	0.61	0.71	0.79	0.88	0.97	1.3	1.8	Available in Spray Angles of 80 degrees. Other angles available upon request.
0.75	0.012	0.75	0.92	1.1	1.2	1.3	1.5	1.9	2.7	
1.00	0.014	1.0	1.2	1.4	1.6	1.8	1.9	2.5	3.5	
1.50	0.020	1.5	1.8	2.1	2.4	2.7	2.9	3.8	5.3	
2.00	0.024	2.0	2.4	2.8	3.2	3.5	3.9	5.0	7.1	
2.50	0.028	2.5	3.1	3.5	4.0	4.4	4.8	6.3	8.8	
3.00	0.028	3.0	3.7	4.2	4.7	5.3	5.8	7.5	10.6	
3.50	0.031	3.5	4.3	4.9	5.5	6.2	6.8	8.8	12.4	
4.00	0.036	4.0	4.9	5.7	6.3	7.1	7.7	10.0	14.1	
4.50	0.040	4.5	5.5	6.4	7.1	8.0	8.7	11.3	15.9	
5.00	0.040	5.0	6.1	7.1	7.9	8.8	9.7	12.5	17.7	



Type	Pipe Size	Net Weight Oz.	A	B	C
MN	1/8 NPT	0.50	0.938	0.438	0.375